


MIL-S-19622/2B(SH)
24 June 1986
SUPERSEDING
MIL-S-19622/2A(SHIPS)
19 May 1967

MILITARY SPECIFICATION SHEET
STUFFING TUBES, 90 DEGREES, NYLON

This specification sheet is approved for use within the Naval Sea Systems Command and is available for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring 90 degree stuffing tubes described herein shall consist of this specification and the latest issue of MIL-S-19622.



(B) FIGURE 1. Configuration.

(B) denotes changes.

(B) TABLE I. Size selection.

(B)

Tube size	Military part number	Military part numbers of components				Packing assembly ^{2/}	O-ring ^{2/}	Superseded part number
		Body	Cap	Locknut				
1	M19622/2-001	M19622/6-001	M19622/10-0001	M19622/15-0001	M19622/16	MS28775-212	MS16163-1	
2	-002	-002	-0002	-0001	/17	MS28775-212	MS16164-2	
3	-003	-003	-0003	-0002	/18	MS28775-216	MS17271-3	
1/4	-004	-004	-0004	-0003	/19	MS28775-218	MS16165-4	
4T	-005	-005	-0005	-0003	/19	MS28775-218	MS16165-4T	
5	-006	-006	-0006	-0004	/20	MS28775-226	MS16166-5	
6	-007	-007	-0007	-0005	/21	MS28775-230	MS16167-6	

^{1/} Original size 4 is for replacement in existing installations only when size "4T" does not fit.

^{2/} For information only, not to be furnished.

MIL-S-19622/2B(SH)

Preparing activity:
Navy - SH
(Project 5975-N612-2)